



# Tarron MS Airport

Snow plough



## Technical data

	MS 48.2	MS 48.2N	MS 48.2N-A
<b>Construction</b>			
Number of blades	5	5	5
<b>Dimensions</b>			
Plough height centre, with elastomer	1,453 mm	1,169 mm	1,169 mm
Plough height right and left, with elastomer	1,546 mm	1,293 mm	1,258 mm
Length at cutting edge	4,802 mm	4,802 mm	4,802 mm
Clearing width	4,110 mm at 32°	4,110 mm at 32°	4,110 mm at 32° 4,867 mm U-shaped
Total width	4,804 mm	4,804 mm	-
<b>Weights</b>			
Approx. weight with PUR cutting edges, wheels	1,315 kg	-	1,428 kg
Approx. weight with PUR cover, cutting edges, wheels	1,535 kg	1,455 kg	-

	MS 56.2	MS 56.2N	MS 56.2N-A
<b>Construction</b>			
Number of blades	6	6	6
<b>Dimensions</b>			
Plough height centre, with elastomer	1,453 mm	1,169 mm	1,169 mm
Plough height right and left, with elastomer	1,546 mm	1,293 mm	1,258 mm
Length at cutting edge	4,603 mm	5,603 mm	5,604 mm
Clearing width	4,752 mm at 32°	4,752 mm at 32°	4,789 mm at 32° 5,668 mm U-shaped
Total width	5,606 mm	5,606 mm	-

**Weights**



	<b>MS 56.2</b>	<b>MS 56.2N</b>	<b>MS 56.2N-A</b>
Approx. weight with PUR cutting edges, wheels	1,460 kg	1,370 kg	1,617 kg
Approx. weight with PUR cover, cutting edges, wheels	1,720 kg	1,630 kg	-

	<b>MS 64.2</b>	<b>MS 64.2N</b>	<b>MS 64.2N-A</b>
--	----------------	-----------------	-------------------

#### Construction

Number of blades	7	7	7
------------------	---	---	---

#### Dimensions

Plough height centre, with elastomer	1,453 mm	1,169 mm	1,169 mm
Plough height right and left, with elastomer	1,546 mm	1,293 mm	1,258 mm
Length at cutting edge	6,404 mm	6,404 mm	6,404 mm
Clearing width	5,431 mm at 32°	5,431 mm at 32°	5,431 mm at 32° 6,469 mm U-shaped
Total width	6,406 mm	6,406 mm	-

#### Weights

Approx. weight with PUR cutting edges, wheels	1,590 kg	1,515 kg	1,686 kg
Approx. weight with PUR cover, cutting edges, wheels	1,895 kg	1,815 kg	-

	<b>MS 72.2</b>	<b>MS 72.2K</b>	<b>MS 72.2N</b>
--	----------------	-----------------	-----------------

#### Construction

Number of blades	8	8	8
------------------	---	---	---

#### Dimensions

Plough height centre, with elastomer	1,453 mm	1,434 mm	1,169 mm
Plough height right and left, with elastomer	1,546 mm	1,546 mm	1,293 mm
Length at cutting edge	7,205 mm	7,205 mm	7,205 mm
Clearing width	6,110 mm at 32°	6,110 mm at 32°	6,110 mm at 32°
Total width	7,207 mm	7,207 mm	7,207 mm

#### Weights

Approx. weight with PUR cutting edges, wheels	1,735 kg	1,850 kg	1,620 kg
Approx. weight with PUR cover, cutting edges, wheels	2,080 kg	2,205 kg	1,960 kg

	<b>MS 72.2N-K</b>	<b>MS 72.2N-W</b>	<b>MS 72.2W</b>
--	-------------------	-------------------	-----------------

#### Construction

Number of blades	8	8	8
------------------	---	---	---

#### Dimensions

Plough height centre, with elastomer	1,169 mm	1,160 mm	1,434 mm
Plough height right and left, with elastomer	1,294 mm	1,294 mm	1,546 mm
Length at cutting edge	7,205 mm	7,205 mm	7,204 mm
Clearing width	6,110 mm at 32°	6,110 mm at 32°	6,117 mm at 32°
Total width	7,207 mm	7,207 mm	7,207 mm

#### Weights

Approx. weight with PUR cutting edges, wheels	1,760 kg	2,067 kg	2,173 kg
Approx. weight with PUR cover, cutting edges, wheels	2,115 kg	-	-

	<b>MS 80.2K</b>	<b>MS 80.2N-K</b>	<b>MS 80.2N-W</b>
--	-----------------	-------------------	-------------------

#### Construction

Number of blades	8	8	8
------------------	---	---	---

#### Dimensions

Plough height centre, with elastomer	1,434 mm	1,169 mm	1,160 mm
--------------------------------------	----------	----------	----------

	<b>MS 80.2K</b>	<b>MS 80.2N-K</b>	<b>MS 80.2N-W</b>
Plough height right and left, with elastomer	1,546 mm	1,294 mm	1,294 mm
Length at cutting edge	8,005 mm	8,005 mm	8,005 mm
Clearing width	6,789 mm at 32°	6,789 mm at 32°	6,789 mm at 32°
Total width	8,007 mm	8,007 mm	8,007 mm

#### **Weights**

Approx. weight with PUR cutting edges, wheels	1,925 kg	1,805 kg	2,148 kg
Approx. weight with PUR cover, cutting edges, wheels	2,305 kg	2,185 kg	-

#### **MS 80.2W**

#### **Construction**

Number of blades	8
------------------	---

#### **Dimensions**

Plough height centre, with elastomer	1,434 mm
Plough height right and left, with elastomer	1,546 mm
Length at cutting edge	8,005 mm
Clearing width	6,796 mm at 32°
Total width	8,007 mm

#### **Weights**

Approx. weight with PUR cutting edges, wheels	2,320 kg
---	----------



Aebi Schmidt Holding AG  
 Leutschenbachstrasse 52  
 CH-8050 Zurich, Switzerland  
 Phone: +41 44 308 58 00  
[www.aebi-schmidt.com](http://www.aebi-schmidt.com)

© Aebi Schmidt Group  
 All rights reserved.  
 Technical data is subject to change.  
 Illustrations are not binding.  
 Errors and amendments excepted.

Document created on 9 MAR 2025

